


50W COAXIAL FIXED ATTENUATOR


--- RFS50GXA



1.0 Mechanical Specifications	
1.1	Coaxial Connector N, SMA, TNC, BNC, 7/16
1.2	Size 130 × 60 × 60mm 5.12" X 2.36" X 2.36"
1.3	Weight 512g
1.4	External Body Finish Body painted with gray/black epoxy enamel

2.0 Environment specifications	
2.1	Operation Temp. -40°C ~ +85°C
2.2	Storage Temp. -55°C ~ +125°C
2.3	Altitude 42000 ft
2.4	Vibration 10g rms (15 degree 2KHz)
2.5	Humidity 100% RH at 35c, 95%RH at 40 deg c
2.6	Shock 20G for 11msc
2.7	Cooling FAN required for long time operation

3.0 Electrical Specifications									
PN	Frequency (GHz)	VSWR (max.)	Attenuation Accuracy (dB)					Power (CW)	Peak Power (KW)
			1-9	10	20	30	40-50		
RFS50G1A	DC-1GHz	1.15	±0.4	±0.3	±0.3	±0.3	±0.3	50	10
RFS50G2A	DC-2GHz	1.20	±0.5	±0.4	±0.4	±0.5	±0.6	50	10
RFS50G3A	DC-3GHz	1.30	±0.6	±0.5	±0.5	±0.6	±0.75	50	10
RFS50G4A	DC-4GHz	1.35	±0.75	±0.75	±0.75	±0.75	±0.75	50	10

PAGE 1 OF 1		DATE	MAY 6 th 2000
<small>PROPRIETARY INFORMATION THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF RF-LAMBDA EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITINGS BY RF-LAMBDA. THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN THE WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION OF ALL THIRD PARTIES AND SHALL USE SAME FOR OPERATING AND MAINTENANCE PURPOSES ONLY</small>		DESIGN	RFPC
		RF-LAMBDA	RFPC
 RFS50GXA COAXIAL FIXED ATTENUATOR		CAD MODEL REVISION	10
		ASSEMBLY REVISION	VSS2
		ASSEMBLY NAME	RFLVR07
		DRAWING NUMBER	D05-A
www.rflambda.com		SIZE	SHEETS
RF-LAMBDA		LT	1 OF 1