


200W HIGH POWER COAXIAL FIXED ATTENUATOR DC-12.4GHz


--- RFS200G12B



1.0 Mechanical Specifications	
1.1	Coaxial Connector N
1.2	Size 360 × 63 × 90mm 14.17" × 2.48" × 3.54"
1.3	Weight 1.05kg
1.4	External Body Finish Body painted with gray/black epoxy enamel

2.0 Environment specifications	
2.1	Operation Temp. -40°C~+85°C
2.2	Storage Temp. -55°C~+125°C
2.3	Altitude 42000 ft
2.4	Vibration 10g rms (15 degree 2KHz)
2.5	Humidity 100% RH at 35c, 95%RH at 40 deg c
2.6	Shock 20G for 11msc
2.7	Cooling FAN required for long time operation

3.0 Electrical Specifications		Attenuation Accuracy (dB)				VSWR (max.)
PN	Frequency (GHz)	10	20	30	40	
RFS200G12B	DC-12.4	/	/	-1.0/+3.0	-1.0/+3.0	1.40

PAGE 1 OF 1	DATE JUN 12 th 2009
<small>PROPRIETARY INFORMATION THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF RF-LAMBDA EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY RF-LAMBDA. THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN THE WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION OF ALL THIRD PARTIES AND SHALL USE SAME FOR OPERATING AND MAINTENANCE PURPOSES ONLY</small>	
 RFS200G12B HIGH POWER ATTENUATOR	
<small>www.rflambda.com</small>	
<small>RF-LAMBDA</small>	<small>SIZE LT</small>
<small>SHEETS 1 OF 1</small>	